

Comfort. Convenience. All-in-one amenities.



Portable Full Bathroom

A complete shower, toilet and vanity unit designed for practical site use, temporary facilities, rural properties and more.



BR001



Shower and Toilet



Vanity, Wall Cabinets



Complete Setup

Includes shower, toilet, vanity and internal fittings.



Pre-Plumbed

Delivered with water, waste and power connections fitout.



Compact Footprint

1.92m L x 2.16m W x 2.36m H



Durable, Long-Life

Solid construction, low-maintenance solution.



Proudly Australian



Built to Last



Ready When You Need It

Portable Full Bathroom

Complete bathroom unit with shower, toilet, vanity, wall cabinet and mirror.

An affordable and practical high-quality portable full bathroom designed for worksites, temporary facilities, rural properties, events, renovations and semi-permanent site use.

Complete. Comfortable. Ready for Site.

Pre-plumbed and wired internal bathroom, delivered ready for final water, sewer and electrical connection.



Length
1.92m

Width
2.16m

Height
2.36m

Weight
Approx. 720kg

What is inside the bathroom?

A full bathroom setup in one compact unit.



Included features

- A slick **shower** unit with an adjustable head. 7.30 nominal flow rate.
- Water-saving dual-flush **porcelain toilet**. 4.5lt full flush, 3.1lt half flush.
- Porcelain **vanity basin** with hot/cold water options. 4.86 nominal flow rate.
- Wall cabinet with mirror and shelves
- Internal LED light and exhaust fan
- Non-slip, easy-clean floor
- Hygienic wipe-down wall panels
- Toilet roll holder, toilet brush, soap holder and towel hook.

Why choose it


- ✓ **Pre-plumbed**
Internal plumbing is set up for water, waste and sewer connection points.
- ✓ **Low maintenance**
Easy-clean surfaces with no grout lines and durable internal finishes.
- ✓ **Compact footprint**
Designed to fit a wide range of spaces without sacrificing comfort.
- ✓ **Site-ready handling**
Forklift slots and corner blocks assist unloading and placement.

CONNECTIONS, DIMENSIONS & SITE SETUP

Practical information to prepare for delivery and installation.

Water & Sewer Connections

The bathroom is supplied with an internal plumbing fitout, ready for connection to services. Final water, sewer and electrical connections are the customer's responsibility, and should be completed by qualified tradespersons.





External hot water system required

WELS WATERMARK
AS/NZS 6400:2016
4 Star Water efficiency.



Dimensions, Lifting & Placement

Overall size: 1.92m L x 2.16m W x 2.36m H



Corner blocks



Forklift pockets

Connection Points

Water inlets:	20mm
Toilet outlet:	90/100mm
Outlet centreline:	75mm from ground level
Hand basin outlet:	40mm
Power:	External 15AMP appliance inlet
Hot water:	External electric or instantaneous gas

Delivery Checklist

- ☐ Suitable access for delivery vehicle
- ☐ Suitable lifting equipment available if required
- ☐ Room for unloading and placement
- ☐ Level and stable base prepared
- ☐ Water, sewer/waste and power services planned

Electrical

Connect to 240V supply through an external 15AMP appliance.



Single 3-pin plug point, exhaust fan, LED ceiling light and light switch included.

Council & Site Approval

Approval requirements can vary depending on location. Customers should check with local council requirements or relevant authority before installation.

Designed for

- ☒ Construction sites
- ☒ Temporary accommodation
- ☒ Rural properties
- ☒ Events and outdoor facilities
- ☒ Renovation projects
- ☒ Commercial and industrial sites
- ☒ Campsite and tourism facilities

Call: 0483 949 849

qualitydomesdirect.com.au

LEARN MORE

