

QL404015 - 40x40ft (12x12m)



Quicklock Commercial Grade Dome

Large Commercial Dome Shelter. Fast to assemble. Built to last.

A no-welding commercial dome shelter, engineered for 40ft shipping containers and/or posts. Supplied as a complete kit, with 610GSM roof cover.



**NO-WELDING
QUICKLOCK SYSTEM**



**EASY TO
ASSEMBLE**




**EVERYTHING
SUPPLIED**



**10-YEAR
WARRANTY**


DIMENSIONS & CAPACITY



KEY FEATURES

- Corrosion-resistant galvanised steel tube frame.
- No welding. Quicklock system. Bolt together base rails, truss tubes, arches, purlins and cross-bracing. No internal posts.
- Easy to build. Assembly and technical manuals included. No special tools needed.
- 12m wide front and rear access.
- Designed to fit 40ft shipping containers, combinations of 20FT container or steel posts.
- Easily dismantled, relocated and reassembled.
- Front wall with pull-up door and end wall compatible, for additional weather protection, security and privacy.

MULTIPLE CONFIGURATIONS



ROOF COVER

- 610GSM commercial-grade PVC fabric. 100% waterproof.
- Resistant to rain, mold, tears and rips.
- Engineered to withstand heavy winds.
- Includes UV fade blockers, and anti-fungal agents.



Call 0483 949 849

qualitydomesdirect.com.au



Shipping Australia-wide

Head Office: 19 Leda Drive, Burleigh Heads QLD 4220

Burleigh Heads, QLD 4220

Kewdale, WA 6105

Townsville, QLD 4814

Kalgoorlie, WA 6430


QL404015 - 40x40ft (12x12m)

Quicklock Commercial Grade Dome




Engineering Details


FRONT ELEVATION



SIDE ELEVATION




PLAN VIEW



KEY ELEMENTS

- Ø76mm galvanised steel tube arches.
- Purlins and cross-bracing reinforce the frame.
- Bolt-together base rail tubes connect together to form a secure foundation.
- C-clamps securely fasten the base rails to the shipping container - without welding.
- Base plates and rails lock the rail assembly to the four inside corner of the containers.
- Cross-container restraint rails prevent lateral and uplift movement of the base rails.



Shipping Australia-wide

Head Office: 19 Leda Drive, Burleigh Heads QLD 4220

📍 Burleigh Heads, QLD 4220

📍 Kewdale, WA 6105

📍 Townsville, QLD 4814


📍 Kalgoorlie, WA 6430

QL404015 – 40x40ft (12x12m)

Quicklock Commercial Grade Dome




1 2X CONTAINERS




Two 40ft shipping containers.

2 CONTAINER + POST



One 40ft shipping container and one single row post set

3 DOUBLE ROW POST SET



Free-standing double row post set configuration.

QUICKLOCK KIT – EVERYTHING YOU NEED

ARCHES



High-strength galvanised steel arch tubes.

PURLINS



Galvanised purlins for additional structural strength.

BASE RAILS



Connects the structure to the shipping container.

BASE PLATES



Lock-tight corner base plates provide a solid anchor point.

- ✓ Everything supplied.
- ✓ No welding design. 100% bolt-together system.
- ✓ No special tools needed.
- ✓ Assembly manuals included. Clear instructions for rapid assembly.
- ✓ Built to last. 10-year Warranty on the structure and cover.
- ✓ All components pack down efficiently. Easy to transport.

C-CLAMPS



Secure the base rails to the container side top rail.

BOLTS & FIXINGS



Everything included – bolts, nuts and fasteners.

PVC ROOF COVER



610GSM commercial-grade PVC fabric.


MANUALS



Step-by-step assembly manual and installation guides.


EASY ASSEMBLY – 4 SIMPLE STEPS

1 POSITION BASE RAILS




Twist and lock the base rail corner plates into the container corner blocks. Assemble the base rails, secure to the container top rail using custom engineered mechanical C-clamps.

2 ASSEMBLE THE ARCHES



Lay the arch sections on a flat surface and connect together to form a completed arch. Ensure all sections are correctly aligned and securely fastened.

3 BUILD THE FRAME



Lift completed arches, slot into the truss tube sleeves on the base rails. Bolt the arches to the arch sleeve/spigots, connect arches together using purlins.

4 INSTALL THE COVER



Pull the PVC roof cover over the completed frame and secure it using ropes, straps and ratchets. Apply even tension to achieve a snug, weatherproof fit.



Shipping Australia-wide

Head Office: 19 Leda Drive, Burleigh Heads QLD 4220

📍 Burleigh Heads, QLD 4220

📍 Kewdale, WA 6105

📍 Townsville, QLD 4814

📍 Kalgoorlie, WA 6430

QL404015 – 40x40ft (12x12m)

Quicklock Commercial Grade Dome



BUILT FOR ALL KINDS OF USES

A versatile shelter for businesses needing fast, no-fuss installation and reliable long-term protection.



WHY CHOOSE QUALITY DOMES DIRECT?



10-YEAR WARRANTY

10-year warranty on frame and cover



COMMERCIAL-GRADE MATERIALS

Built with hot-dip galvanised steel tube and tough, durable 610GSM PVC fabric.



COMPLETE KIT SUPPLIED

Everything you need for a fast, hassle-free build.



ASSEMBLY MANUALS INCLUDED

Step-by-step guides for rapid assembly.



AUSTRALIA-WIDE DELIVERY

Network of trusted freight partners. Fully insured shipping options.



HELP & SUPPORT

Helping you choose the right setup for your site, with ongoing product aftercare.



Ready to get started?

Call: 0483 949 849



[LEARN MORE](#)



Shipping Australia-wide

Head Office: 19 Leda Drive, Burleigh Heads QLD 4220

📍 Burleigh Heads, QLD 4220

📍 Kewdale, WA 6105

📍 Townsville, QLD 4814

📍 Kalgoorlie, WA 6430




DOME SHELTER ADD-ONS



ADD-ONS



END WALL



A solid steel tube frame End Wall with heavy-duty cover, creates a robust enclosed shelter. Everything bolts together - zero welding.

HALF WALL



A steel tube frame Half Wall adds extra protection from the weather and allows safe drive-through access for all types of vehicles.

FRONT WALL



A Front Wall with mechanical roll-up door converts an open shelter into a fully enclosed, secure and practical year-round workspace.

QUALITY DOMES DIRECT - BUILT TO LAST



Shipping Australia-wide

Head Office: 19 Leda Drive, Burleigh Heads QLD 4220

📍 Burleigh Heads, QLD 4220

📍 Kewdale, WA 6105

📍 Townsville, QLD 4814

📍 Kalgoorlie, WA 6430